



LEGEND

- Traffic Cone
- Long. Safety Zone
- Lateral Safety Zone
- Works Area
- Sign Location & Orientation
- Taper

SITE SPECIFIC NOTES

Running Lane Width: 3.0m min (one way)

Cork County Council, Byrne Looby, An Garda Síochána shall be consulted to agree the final Traffic Management system so that safety zones and minimum lane widths are provided and maintained at all times.

'Overhead Cables' sign WK 062 will be used where overhead cables are present along the works route.

Exact sign positions to be agreed on site.

- WK 071** SHOULD BE USED TO INDICATE THE PRESENCE OF A HUMP IN THE ROAD DUE TO THE ROADWORKS OR A TRAFFIC CALMING MEASURE
- WK 072** MAY BE USED TO INDICATE THAT THERE IS AN UNEVEN SURFACE FOR VEHICLES USUALLY ASSOCIATED WITH THE DIFFERENT LAYERS OF SURFACING
- WK 073** SHOULD BE USED TO WARN THAT THE DANGER OF VEHICLES SKIDDING IS GREATER THAN NORMAL. THE SIGN WILL BE USED WHERE TRAFFIC IS RUNNING ON A TEMPORARY SURFACE OR THE FINAL SURFACING HAS NOT YET BEEN LAID.
- WK 074** SHOULD BE USED TO INDICATE THAT THERE IS A RISK OF AIRBORNE CHIPS OR STONES - LOOSE CHIPPINGS
- NO ROAD MARKINGS** SIGN NECESSARY TO WARN DRIVERS THAT THE ROAD AHEAD HAS NO ROAD MARKINGS

| | |
|---------------------------|----------|
| Issued for Implementation | |
| Issued for Approval | 28.07.16 |
| Revision/Issue | Date |

Wills Bros Ltd
 CIVIL ENGINEERING CONTRACTORS
 BALLYLAHAN BRIDGE, FOXFORD CO. MAYO. Tel: +353 (0)94 9256221 Email: www.willsbros.com

| DESIGN PARAMETERS | | | MIN LANE WIDTH | CONE SPACING | | SAFETY ZONE | | | RATE OF TAPER | | TEMPORARY SIGNS | | | TRAFFIC MANAGEMENT SYSTEM | | |
|-------------------|----------------|--------------------|------------------------|------------------|---------------|--------------|-------------|------------------|----------------------------|-------------------|-------------------------------------|-----------------|---------------------|-----------------------------|-----------------------|------------------------------|
| Road Level | Roadworks Type | Speed Limit (km/h) | Minimum Lane Width (m) | Longitudinal (m) | At Tapers (m) | Set Back (m) | Lateral (m) | Longitudinal (m) | Taper at Hard Shoulder (m) | Taper at Lane (m) | Distance between advanced signs (m) | Number of signs | Sign Visibility (m) | Method | Coned Area Length (m) | Maximum Traffic Flow (veh/h) |
| 2 | A | 50 | 3.0 | 6.0 | 1.0 | - | 0.5 | 25 | 45° | 45° | - | 4 | 50 | Flagman/ Traffic Signals | 70m approx. | - |

| | |
|---|---|
| Client Office of Public Works | Scale NTS |
| Project Bandon Flood Relief Main Works Contract | Date 28.07.16 Drawn KC Checked WT Project No: |
| Title Traffic Management Layout Ballylangley Road | Drawing No: FRS-TM-006 |